

# Information for patients and carers

Radiotherapy for Gynaecological Cancers

# **Details of your treatment**

This leaflet is designed for patients who are receiving radiotherapy for gynaecological cancers; this covers carcinoma of the vulva, vagina, cervix, ovaries, and endometrium (womb). If you have recently been diagnosed with cancer, it is normal to experience a wide range of emotions.

Your partner, family or friends might also find this leaflet useful to understand what you are currently experiencing so that they can help to support you.

The information in this booklet should not be seen as a replacement for talking with the radiographers, specialist nurses and doctors involved in your treatment and care.

# What is radiotherapy?

Radiotherapy is a specialised treatment that uses precise, carefully measured doses of radiation to treat cancer.


Treatment is given by highly trained radiographers, using specialised machines known as linear accelerators. The radiographers and planning team work closely with your consultant and/or specialist nurse to plan and deliver your treatment.

# How does radiotherapy work?

Radiotherapy uses high energy x-rays to treat cancer. The X-ray beams are directed at the treatment area and cause damage to cells in the treatment area. Normal healthy cells can recover from this damage, whereas abnormal cancer cells cannot.

Radiotherapy is therefore given to kill the cancer cells in the targeted area and reduce the chances of your cancer recurring (coming back) or delay

its progression. The treatment itself is painless and there is nothing to feel.



### Will I be radioactive?

If you are having external beam radiotherapy, you <u>will not be</u> <u>radioactive</u>. It is safe to be in close contact with people, including pregnant people, babies and children.

# When will my radiotherapy start?

After your consultant or specialist nurse has discussed your treatment options with you, you will receive an appointment to attend your radiotherapy planning scan. You will be given your first radiotherapy treatment appointment when you attend for your planning scan.

The planning scan is used to plan your radiotherapy treatment. The planning preparation can take up to 3 weeks. Please do not be alarmed if you feel there is a long time between these appointments, this is due to the complex nature of the planning process.

If you require certain times and/or hospital transport, please let a member of staff know before you start treatment. The radiotherapy appointment team will do their best to accommodate your request, however this cannot always be guaranteed.

# Chemotherapy

Some patients will have chemotherapy alongside radiotherapy. You will attend a pre-chemo assessment before starting radiotherapy where relevant information and advice will be given to you.

# **Before your Treatment**

### **Pre-treatment**

At the planning appointment you will have a CT scan of your pelvis. The treatment planning team use this scan to accurately plan your radiotherapy treatment, whilst ensuring that surrounding areas close to the treatment area do not receive more radiation than necessary.

Before the CT planning scan can take place, we may ask you to use a micro enema, which will be explained to you prior to this appointment if necessary. This needs to be done approximately 1 hour before your scan to allow it to take effect. If you have any concerns or questions regarding the use of enemas, please speak to a radiographer.

Some patients may also be required to drink water or to empty their bladder prior to the scan, the radiographers will inform you of this before your scan.

For some patients, a vaginal marker may need to be placed before the scan. If this is applicable to you the radiographers will discuss this with you.

# **During the scan**

For the CT planning scan radiographers will position you as required for treatment, which includes lying on your back with your arms on your chest. Support will be given under your head and knees to aid comfort. It is important you can manage this position for around 15 minutes. The

radiographers need to access your pelvis area, but you will be covered as much as possible, and the radiographers will always maintain your dignity.

You may need to have a dye injection for the scan, known as contrast. If you need contrast, we will insert a small tube into your arm, called a cannula. Staying hydrated before your appointment can help with this. Please note that if you need to have the dye injection, we ask that you stay in the department for up to 30 minutes afterwards. This is to ensure you are feeling ok after the dye injection. This will not be required for treatment

# **Radiotherapy Treatment**

Before your first radiotherapy treatment, a radiographer will discuss the treatment process and answer any questions you may have, as well as giving you your full list of appointments.

If you needed to do any bladder and/or bowel preparations for your planning scan, you will also need to do this prior to each treatment. Please speak to a radiographer if you are unsure.

It is very important that you do not miss any of your radiotherapy treatments, as it can make the treatment less effective. If you are feeling too ill to attend your treatment, please call the department and speak to a member of the team to see if we can assist.

For your radiotherapy treatment, you may be asked to change into a gown in a changing cubicle. You will then lie down on the treatment couch in the same position as when you came for the planning scan.

Once the radiographers have completed their checks, they leave the room to start the treatment. Only the patient can be in the treatment

room when the machine is delivering treatment, but staff will monitor you via CCTV.

The radiographers will firstly complete a CT scan; to verify your position and you may feel the treatment couch move as they make minor adjustments to ensure you are in the correct position for treatment. The radiographers will then begin treatment from outside of the room, this will only take several minutes and there is nothing to see or feel during treatment. The whole treatment process takes approximately 15 minutes.

### **Treatment Reviews**

Depending on your treatment regime, you may have scheduled review clinics with your consultant or the review team, within the department or over the phone.

These review clinics are for you to discuss any concerns or side effects that you may be experiencing from treatment. The review clinics are scheduled on certain days and will be on your treatment appointment list.

During your course of radiotherapy, you may be given vaginal dilators. You may be given information about dilators and specific instructions on how to use them and the intended benefits of use.

### **Diet**

As changes to your bowels are common during radiotherapy you may be asked to adjust your diet during treatment. This will be discussed with you by radiographers or the review team and there is a separate information leaflet available. Please ask a member of staff if you would like a copy of 'Dietary Information for Patients undergoing Radiotherapy to the Pelvis.'

### **Skin Care**

As skin reactions are a common side effect to radiotherapy, you may be advised to use certain moisturisers/ creams throughout treatment. The most suitable product to use may change as your treatment progresses. You will be advised by radiographers and during your review appointments regarding skin care.

### **Blood Tests**

Some patients may require weekly blood tests whilst undergoing radiotherapy and/or chemotherapy. Reminders will be on your appointment schedule. The blood clinic is open from 8:00am-5:00pm Monday to Friday.

# Staff you will Meet

We are a mixed gender department, and treatment will be given by male and female staff members.

Royal Preston Hospital is a teaching hospital which means that we train and support undergraduate and postgraduate radiotherapy students and medical students. Students take an active part in treatments and are closely monitored by qualified staff.

### **Side Effects**

Most people will experience side effects of radiotherapy, although the severity will vary from person to person.

Side effects do not usually happen straight away but may start to develop around a week into your treatment, and they will continue after treatment finishes.

You will be given advice by the review team and treatment radiographers on how to manage any side effects.

If you are having other treatments, e.g. chemotherapy, you may experience side effects alongside radiotherapy. If you are suffering with chemotherapy related side effects, you can contact the **Oncology Helpline on 01772 523205** 

### Short term side effects

Short term side effects start during or shortly after radiotherapy and usually resolve within 2 to 6 months. These side effects vary in frequency and will be explained in more detail during the consent process:

- Fatigue
- Increased frequency/urgency passing urine
- Increased frequency/urgency emptying bowels
- Changes to your usual bowel habits
- Vaginal bleeding
- Skin reactions

### Late side effects

The late or long-term effects of radiotherapy can occur several months and years after the radiotherapy has finished. This is dependent on your treatment site and will be monitored and managed at your routine follow-up appointments. Long term side effects also vary in frequency, and this will also be explained during the consent process:

- Early menopause
- Infertility
- Vaginal narrowing or dryness
- Urinary frequency changes
- Urinary incontinence
- Changes to bowel frequency
- Looser stools
- Reduced bladder capacity
- · Bleeding from your bladder/ bowel/ vagina
- Kidney impairment
- Faecal discharge/ soiling
- Lymphoedema
- Hair loss in treatment area
- Changes to your skin in the treatment area

# **After your Treatment**

After you have completed your course of radiotherapy your consultant or review team will explain your follow-up procedure. It is important to be aware any side effects can continue to worsen after treatment but should have improved by your follow-up appointment which is usually 6 - 8 weeks after treatment finishes.

You will receive an appointment through the post to see your consultant around 6 - 8 weeks after completion of your radiotherapy.

Please remember that you are free to contact the department at any time after your treatment has finished should you have any concerns or questions. You will be given a summary letter towards the end of your radiotherapy treatment containing contact information for the department.

Returning to normal life takes time and it is a gradual process which involves a period of readjustment, all of which will be individual to you. It is not possible to be specific about the amount of time it will take each person. You can return to work as soon as you feel well enough. This can vary between patients depending on how physically demanding your job is.

# **Smoking**

It has been proven that smoking can make your radiotherapy side effects worse and reduce the effectiveness of the treatment. It is important that you reduce or stop smoking whilst on treatment.

We understand that this may be difficult at such a stressful time and staff are very open to discussing this with you and offering you the support you may need.

### **Contact Details**

Should you require further advice or information please contact:

Radiotherapy Reception (01772) 522923

Appointments (01772) 522931

Transport (01772) 522295

If you would like to watch a short radiotherapy information video,

please scan the QR code below.

### Sources of further information

www.lancsteachinghospitals.nhs.uk www.nhs.uk www.accessable.co.uk

### **Stop smoking services**

https://www.nhs.uk/better-health/quit-smoking/find-your-local-stop-smoking-service/

Macmillan at Rosemere Cancer Centre <a href="https://tinyurl.com/38z3d2fy">https://tinyurl.com/38z3d2fy</a> (01772) 523709

Lancashire Teaching Hospitals is a smoke-free site. Smoking is not permitted anywhere on any of our premises, either inside or outside the buildings. Our staff will ask you about your smoking status when you come to hospital and will offer you support and advice about stopping smoking this will include Nicotine Replacement Therapy to help manage your symptoms of withdrawal and the opportunity to speak to a nurse or advisor from the specialist Tobacco and Alcohol Care Team

Please ask if you would like help in understanding this information. This information can be made available in large print and in other languages.

www.lancsteachinghospitals.nhs.uk/cancer-patient-information-leaflets



**Department**: Radiotherapy

**Division**: Surgery

**Production date**: September 2025 **Review date**: September 2027

Document Code and version: CA166 V3